125 Years Bosch 1886–2011

Dishwashing Solutions

2011

Green Technology inside

BOSCH
Invented for life

“All tasks are important, even the most modest.”

Without the trust of our customers and suppliers, our company anniversary would never have been possible. And over the next 125 years, we will do everything we can to maintain and strengthen this trust. In emphasizing trust, we see ourselves continuing a tradition that is reflected in a remarkable saying by Robert Bosch: “I would rather lose money than trust.” The quality of our products and the integrity of our promises continue to be more important to us than transitory advantage or profit.

In the industries in which we do business, long term partnerships are the only conceivable form of good business relations. And it is only by taking such a long-term perspective that we can continually venture into new areas in the future, making considerable up front investments in research and development.

Bosch will remain an innovative company, in the interest of and in collaboration with its customers and suppliers. More than ever, our innovations are guided by the strategic principle “Invented for life.” We develop solutions not only to enhance quality of life and improve safety, but also to protect the environment and conserve resources. The environment, more than any other area, presents the task of a lifetime – a task in which industry must also play its part. At the same time, it is an area that offers considerable business opportunities. There will be many more tasks and opportunities awaiting us in the next 125 years – things for the most part which we will only be able to tackle in collaboration with our business partners. We will continue to base this collaboration on trust.

As we celebrate our double anniversary, it is especially important to stress that history can only be as good as the way it is perceived and carried forward. That is why Bosch sees itself as a company that takes strength from its past in order to meet the challenges of its future, as well as to secure its chances for a strong and meaningful development.



125 Years Bosch 1886–2011

A wise economist once said:

“I’d rather lose money than trust.”

A brilliant thinker was convinced:

“Success isn’t a matter of perception It´s a matter of character.”

An industrialist believed:

“All tasks are important, even the most modest.”

A philosopher knew:

“Where many people come together, cooperation is a must and each individual depends on the other.”

A visionary determined:

“If you aim for success, you will have to share responsibilities.”

An engineer said:

“No one should ever be satisfied with what he has achieved, but always endeavour to get better.”

All these words come from Robert Bosch and are still being lived by all Bosch employees who carry on his spirit. This spirit is also imbedded in all our Bosch products – which help to make your life easier day after day.

Contents.

Green Technology Inside	6
ActiveWater by Bosch	8
Dishwashing Features	9 - 19
Dishwasher Range	20 - 24
Compact Dishwasher	26 - 27
Quick Reference Guide	28 - 29
Installation Diagrams	30
Quality Service	31

Technologies that not only improve our life today, but tomorrow as well.

Bosch supports the use of green technology and the efficient use of resources and energy. This guiding principle underpins all our work in all sectors, from environment-sensitive production methods to researching new, energy-efficient technologies.

Responsibility

Bosch has always taken its responsibility towards man and nature seriously. This creates an obligation and incentive to develop resource-efficient household appliances. 'Green Technology' can create the potential to not only improve the future but also our quality of life today. Our appliances are manufactured with respect and sensitivity to the environment and designed to operate more efficiently than our previous models.

Preservation

As a leading industrial company, we are conscious of our responsibility towards society and future generations. We act in harmony with our environment with the aim of preserving values like trust and integrity, promoting health and treating the environment and natural resources with due care. In 2008, we were awarded the German Sustainability Prize in acknowledgement of this commitment.

Efficiency

We deploy ground-breaking technological innovations to develop some of the most economical and resource-efficient household appliances in the world. Our ActiveWater Plus™ dishwashers, for instance, considerably reduce both water and electricity consumption in comparison to our previous models, while ActiveAir Technology, found in the EcoLogixx 7, dries laundry so efficiently, it consumes up to 40% less energy than conventional dryers. And these are no exceptions – approx. 40 percent of the patents we file are for products designed with the aim of minimizing their impact on the environment.

Transparency

Our actions are driven by integrity. Our trusting relationship with customers, employees and suppliers is built on honesty and openness. This also includes a policy devoted to information transparency: we provide clear, understandable information and facts to assist in decision-making. The 'Green Technology' signet, for example, draws attention to the particular 'Green Technology' used in our individual products, specifies the relevant savings, special efficiency of operation and manufacturing process.

Green Technology Inside

The Green Technology Inside signet denotes products that focus on energy and water efficiency while achieving top performance based on Bosch technologies – and, like all Bosch products, have been manufactured with the aim of minimizing their impact on the environment. The signet stands for the resource-efficiency of our products – quite simply for their 'Green Technology'.

Green
Technology
inside

ActiveWater by Bosch.

Use every single drop of water to the maximum. ActiveWater technology from Bosch is a revolutionary new dishwashing system that gets the maximum use out of each and every drop of water. This incredible increase in efficiency has been achieved through maximising water efficiency in the rinse cycles, faster heating-up, targeted water circulation and improved pump performance meaning that the new ActiveWater dishwasher's use less water, less energy but with increased performance.

Reinventing dishwashing

Maximum performance meets minimum consumption – this contrast has been neatly resolved by Bosch in the shape of ActiveWater. The term stands for nothing less than the invention of a revolutionary new dishwashing system that uses every single drop of water to the maximum. From as little as 12.3 litres of water, this innovative system generates the power of more than 4000 litres of water, making these dishwashers the most efficient and most powerful ever to leave our production line.

Technology serves economy

This incredible increase in efficiency of the ActiveWater dishwasher models has been achieved through the development of a new dishwasher system that maximises water efficiency during rinse cycles: faster heating, optimised filter system, targeted water distribution and improved pump performance. For the new ActiveWater dishwasher this spells: **less water, less energy, more performance**.

Bosch quality

All Bosch dishwashers undergo 200 individual quality control checks before being released from the factory's in Europe. They are endurance-tested under stringent conditions to ensure a long and trouble free life. We back this up with a two-year warranty and an extensive after-sales service network throughout New Zealand.

Bosch innovative milestones

1971	First dishwasher with stainless steel interior
1980	Bosch invented the integrated built-in dishwasher
1986	First AquaStop® system for dishwashers
1987	Bosch invented the Slimline 45cm dishwasher
1993	First dishwasher with Half Load option
1996	First AquaSensor™ system for dishwashers
1998	First concealed water heater element
2000	First fully automatic dishwasher
2004	First dishwasher with AutoBrilliance
2006	First dishwasher with VarioSpeed™ option
2008	First dishwasher with ActiveWater system

Our dishwashers.

Premium

Our premium range of dishwashers with exceptional cutting-edge features and design. Featuring ActiveWater technology, fully electronic SoftTouch controls and SuperSilence 42dB operation, these models also include three automatic wash programs and the unique VarioDrawer, which accommodates up to 15 place settings.

Lifestyle

Added-value models with a broad selection of extra functions including large LED displays, fully electronic controls as well as a variety of special functions such as IntensiveZone, and HygeinePlus.

Classic

Mid-range models with a broad range of extra features including simple LED displays, some extra wash functions, combined manual and electronic controls and AquaStop anti-flood protection.



Design.

Sophisticated technology, easy operation. The new design of the controls on Bosch Premium models combines form and function in an exemplary fashion. Integrated along the top of the door, the display indicates all the relevant information, with easy-to-read, animated symbols. And, with SoftTouch electronic controls, programming is at your fingertips.

Design Option	Description	
Freestanding	These dishwashers can be installed anywhere in your kitchen.	
Semi-integrated	These dishwashers are designed to be fitted with a kitchen furniture panel to match the design of the kitchen. Only the control panel of the dishwasher is exposed.	
Built-under	Built-under dishwashers are designed for installation under a worktop. The dishwasher height can be adjusted to match the plinth height of the surrounding kitchen cabinetry.	
Fully Integrated	These dishwashers are entirely concealed behind a furniture door. The control panel is integrated into the top of the dishwasher door. They can also be fitted with a stainless steel front panel accessory if you desire.	
Compact	These dishwashers are designed to fit into practically every kitchen. And at 45 or 60cm high, they are the built-in solution when integrated with other Bosch appliances.	

Wash Programs.

Auto programs

The Bosch Auto-progam takes the confusion out of program selection. Most dishwashers run on the same program time and time again. Quite often the same program might not suit the load. By choosing the auto program, such as Auto 45ºC - 65ºC, you can be guaranteed of the best wash result from the selected program with the most efficient use of energy and water.

Quick wash program

The 45°C quick wash program is a 33-minute wash for a rapid turnaround of your wash load. Perfect for entertaining or when the tableware is only lightly soiled.

3 Fully automatic wash programs

Bosch Premium dishwashers feature three fully automatic wash programs, which choose the right program cycle and temperature to suit the load for optimum results:

- Auto delicate 35°C -45°C: Ideal for fine china and delicate glasses.
- Auto normal 45°C - 65°C: Perfect for a mixed load of crockery and pans.
- Auto intensive 65°C - 75°C: Excellent for heavily soiled dishes and pans.

Performance.

Designed to make your life easier –Bosch dishwashers offer the ultimate in wash performance, using the very latest in dishwashing technology to ensure that you get sparkling clean dishes every time whilst using the minimum amount of water and energy.

ActiveWater Filter System

This optimised filter technology offers a micro filter with increased surface area allowing the pump to circulate the water continuously therefore the water will be used more efficiently. With high filtering power due to the combination of the coarse filter, fine filter and the unique micro filter insuring the smallest food particles are removed from the wash cycle.

4 Stage Filtration

Selected Bosch dishwashers feature a 4 stage self cleaning micro-filter system. The fine and micro filters trap small particles to ensure the circulation water remains clean. Self cleaning is achieved through the coarse filter, which is opened during drainage, allowing larger waste particles to be discarded.

Load Sensor

The Load Sensor ensures optimal adjustment of water consumption, in the event of water loss due to up-turned dishes air is sucked into the pump. This results in a higher noise level and in an inefficient running of the pump. The Load Sensor ensures that in such cases the pump adapts its speed until enough water is filled. An optimal filling level is reached in the appliance at any one time.

Polinox Dishwasher Cavity

On selected Bosch dishwashers the internal cavity base is made of a revolutionary material called Polinox. This material is used extensively in the aerospace and automobile industry, where strength and longevity are essential. It is also used in Bosch front load laundry products, where durability and robustness are essential.

AquaSensor™ Technology

The AquaSensor™ helps you save even more water during the wash. A sensor measures the amount of soiling at the end of the pre-rinse cycle. If the soiling is only slight, the water is reused for the main wash, saving up to 20% of water for the entire wash. If at the end of the pre-rinse the water is heavily soiled, the dishwasher will pump out the residual water to ensure the best possible wash result.

HygienePlus Option

Select the new HygienePlus option for a hotter final rinse – perfect for cooking utensils, glass jars, chopping boards and baby bottles*.

* For baby bottles, traditional sanitation methods are still recommended to be used in conjunction with option.

DosageAssist Detergent System

Since most households use detergent tablets in their dishwashers, the DosageAssist feature is designed to maximise their effectiveness. The detergent dispenser on Bosch ActiveWater dishwashers is conveniently located in the top-centre of the door, where it is protected from food remnants that drip while loading dishes. At the beginning of the wash cycle, the detergent tablet drops into the specially designed tray, where it dissolves evenly under control, instead of lodging between crockery or not dissolving completely.

AutoBrilliance – Automatic Detergent Sensor

The AutoBrilliance function on selected Bosch dishwasher models automatically senses the use of multi-function detergent tablets and adapts the program temperatures and water rinse to ensure the rinse aid is transferred to the final rinse. For performance that's visible, AutoBrilliance from Bosch delivers sparkling results every time.

HalfLoad Plus

Selected Bosch dishwashers offer the convenience of a real HalfLoad wash. Unlike other systems that only wash in either the top or bottom baskets, HalfLoad Plus provides the best possible wash performance for dishes stacked anywhere in the dishwasher.

VarioSpeed™ - Express wash option – the ultimate time saver

Sometimes you need things done in a hurry. With VarioSpeed, you can choose to approximately double the speed of virtually any dishwashing program, without sacrificing washing and drying results. With a Bosch dishwasher, it's up to you whether you have your dishes cleaned within the standard program time or choose to reduce the wash cycle by approximately half the time. Look forward to 100% cleanliness in approximately 50% of the time.

IntensiveZone wash option – Protection for mixed loads

The optional IntensiveZone function saves you the chore of scrubbing heavily soiled pots and pans. The entire bottom basket is transformed into a power cleaning zone with increased spray pressure and a higher cleaning temperature, while in the top basket, delicate glasses and dishes are protected with a gentle rinse.

Heat Exchanger

Selected Bosch dishwashers have a unique feature called heat exchanger. The heat recycling reservoir located in the side panel of the machine maximises the performance by using heat that is generated in the main wash to pre-heat cold water used for the rinse cycles before it enters the dishwasher. Pre-heating the water minimises the risk of thermal shock which can occur when cold water strikes warm delicate items which can cause cracking or breakages.

The heat exchanger also works effectively as a residual heat drying system which is an extremely energy efficient and gentle form of drying.

Flexibility.

A new interior dimension with Bosch VarioDrawer: The third loading level

A new feature on selected Bosch dishwashers is the VarioDrawer. The third loading level replaces the cutlery basket completely, freeing even more space in the bottom basket and creates a loading capacity for 15 place settings. The new VarioDrawer allows for easy loading and unloading of cutlery, with room for espresso cups, larger kitchen utensils and other crockery that isn't traditionally catered for in regular third loading levels. And what's more, because of its unique v-shape, you can still load long-stem wine glasses in the upper basket, even with the drawer in place.

RackmaticPlus - 3 stage height-adjustable upper basket

The new RackmaticPlus system on selected Bosch dishwashers now allows the top basket to be height-adjusted in three positions. Using the levers on either side, the basket can be moved up or down in 2.5cm increments. Even when full, the basket can be easily adjusted, so you can create the necessary space in both baskets to accommodate long-stemmed glasses, large plates or pots. For the ultimate in convenience, RackmaticPlus also allows the dishwasher to operate with one side of the top basket angled higher or lower than the other.

Rackmatic™ - 2 stage height-adjustable upper basket

On selected Bosch models, you can adjust the height of the upper basket without having to empty the entire basket first. Rackmatic™ provides the flexibility of more space in the upper or lower segment of the dishwasher depending on the items in each basket.

TallTUB™ - XXL Cabinet

A Bosch TallTUB™ gives you the freedom to load larger sized items with ease. By using RackmaticPlus, you can load dishes up to 32cm tall in the lower basket, or the flexibility to load large size items even in the top basket.

New Vario and VarioFlex® basket systems – more capacity and flexibility

With the enlarged loading area, the new Vario and VarioFlex® baskets offer more capacity and more flexibility, with two foldable racks in the upper basket, and one (Vario) or two (VarioFlex®) foldable racks in the lower. Be it lots or just a few items, large or small pieces, wine glasses or cups – with its special grips, foldaway racks and glass prongs, the Vario and VarioFlex® systems allow the baskets to be adapted to any load, and all items are assured a firm, secure place in the protective racks. And the new-styled VarioFlex® cutlery basket can be placed anywhere in the lower basket – even on top of the plate racks.

VarioFlexPlus™ baskets for maximum capacity and flexibility

For maximum flexibility and lots of extra space, with an enlarged loading area, the new VarioFlexPlus™ baskets offer the ultimate in flexibility. Every rack in both the top and bottom baskets can be folded to adapt to any situation – for unsurpassed convenience, without the need to purchase expensive accessories.

Safety.

AquaStopPlus – anti-flood protection

For added security and safety, selected Bosch models have an “AquaStopPlus” device that cuts off the water supply directly at the tap outlet in the case of leaks. It also features a safety water valve to guard against siphoning, even when the machine is switched off. AquaStopPlus operates 24 hours a day, 7 days a week, provided the dishwasher is switched on at the mains.

AquaStop®

Patented by Bosch in 1985 and copied through out the world, the AquaStop® is an anti-flood safety system, which protects against flooding in the rare event of a malfunction. The AquaStop® offers protection by closing the inlet valve if the water is sensed where it shouldn’t be. The AquaStop® will operate when installed at any angle.

Child Door and Button Locks

For added safety, the door can be locked manually to prevent children from inadvertently opening the door. The buttons can also be locked to prevent tampering during operation.

Convenience.

Electronic Control

The electronic control in Bosch dishwashers ensure the correct water level, temperature and times are maintained throughout all aspects of the wash to deliver brilliant results.

Time delay start and time remain display

Combined with the Time delay function is a Time remain display. The new Bosch dishwashers not only wash in the quickest possible time, but also lets you plan your loads to save time.

Audible Program-end signal

On selected models an audible program-end signal sounds when the program cycle has finished.

InfoLight® - program status indicator

Bosch fully integrated models are so quiet, you may forget they're on. That's why selected Bosch dishwashers feature InfoLight® – a red light that discreetly beams onto the floor during the wash cycle and disappears after the drying cycle is complete.

Enjoy the silent benefits of progress

42 dB	**SuperSilence**	**42dB**
44 dB	**Whisper quiet**	**44dB**
46 dB	**Very quiet**	**46dB**
50 dB	**Quiet**	**50dB**

The kitchen is a central part of the home and a place where people traditionally gather. With this in mind, Bosch has designed dishwashers ranging from SuperSilence to Quiet operation.

Large item spray head

Also referred to as the 'Hedgehog', the large item spray head is specifically designed to wash large items such as platters. Simply remove the top basket from the dishwasher, clip the 'Hedgehog' onto the top basket water supply (located on the rear wall of the dishwasher) and load your platters into the lower basket. It is also ideal for cleaning rangehood filters and refrigerator shelves. The 'Hedgehog' is unique to Bosch and can be fitted to all Bosch dishwashers.

User Friendly Control

The clear control panel boasts integrated LED indicators for water supply and rinse aid, as well as for remaining program time and start time delay. Additional LEDs display the selected program while the option buttons are backlit for clarity. The top-of-the-range models feature a design that integrates all the feature buttons into a single line control panel.

And to make choosing the right program and options quick and simple, on selected models we have added a user-reference guide to the top section of the door panel.

Energy Efficiency

The Energy Efficiency and Conservation Authority has introduced the ENERGY STAR® mark on appliances to help New Zealanders choose the most energy efficient models. ENERGY STAR qualified appliances are good for the environment: they use – and waste – less power, which means New Zealanders pay less on energy bills and contribute less to climate change.

SBV69T00AU
Stainless Steel Dishwasher Fully Integrated



Capacity
- 15 international place settings

Consumption rates
(Normal 45ºC program)
- 4.5 Star water rating
- 4 Star energy rating

Design
- SensorTouch buttons

Wash Programs
- 6 Wash Programs
  - Auto 65-75ºC
  - Auto 45-65ºC
  - Auto 35-45ºC
  - Normal 45ºC
  - Quick 45ºC
  - Pre-rinse

Performance
- Advanced filter system
- DosageAssist detergent system
- AutoBrilliance - automatic detergent sensor
- AquaSensor™ technology
- Load Sensor
- HalfLoad Plus
- VarioSpeed™ - express wash option
- IntensiveZone wash option
- HygienePlus option
- Heat Exchanger
- 5 Spray levels

Flexibility
- Electronic rinse aid and refill indicator
- RackmaticPlus™ - 3 stage height-adjustable upper basket
- TallTUB™ - XXL Cabinet
- VarioFlexPlus™ baskets
- VarioDrawer third loading level
- Tall glass / champagne glass racks

Convenience
- Time delay start (1-24 hours)
- Time remain display
- Audible program end signal
- InfoLight® - program status indicator
- SuperSilence operation - 42dB
- Large item spray head

Safety
- AquaStopPlus anti-flood protection
- Child door lock

Power Rating
- 2400W
- 10 amp

Appliance Dimensions (HxWxD)
- 865-925 x 598 x 550mm

* Panel shown on above model is for illustration purposes only.

PREMIUM
★ ★ ★ ★ ★

SBU69T05AU
Stainless Steel Dishwasher Built-under



Capacity
- 15 international place settings

Consumption rates
(Normal 45ºC program)
- 4.5 Star water rating
- 4 Star energy rating

Design
- SensorTouch buttons

Wash Programs
- 6 Wash Programs
  - Auto 65-75ºC
  - Auto 45-65ºC
  - Auto 35-45ºC
  - Normal 45ºC
  - Quick 45ºC
  - Pre-rinse

Performance
- Advanced filter system
- DosageAssist detergent system
- AutoBrilliance - automatic detergent sensor
- AquaSensor™ technology
- Load Sensor
- HalfLoad Plus
- VarioSpeed™ - express wash option
- IntensiveZone wash option
- HygienePlus option
- Heat Exchanger
- 5 Spray levels

Flexibility
- Electronic rinse aid and refill indicator
- RackmaticPlus™ - 3 stage height-adjustable upper basket
- TallTUB™ - XXL Cabinet
- VarioFlexPlus™ baskets
- VarioDrawer third loading level
- Tall glass / champagne glass racks

Convenience
- Time delay start (1-24 hours)
- Time remain display
- Audible program end signal
- SuperSilence operation - 42dB
- Large item spray head

Safety
- AquaStopPlus anti-flood protection
- Child door lock

Power Rating
- 2400W
- 10 amp

Appliance Dimensions (HxWxD)
- 865-925 x 598 x 573mm

PREMIUM
★ ★ ★ ★ ★

All descriptions, images and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.

SBI69M15AU
Stainless Steel Dishwasher Semi-integrated

Capacity
- 15 international place settings

Consumption Rates
(Normal 45ºC program)
- 4.5 Star water rating
- 4 Star energy rating

Wash Programs
- 6 Wash Programs
  - Auto 45-65ºC
  - Pots and Pans 70ºC
  - Intensive 65ºC
  - Quick 45ºC
  - Pre-rinse

Performance
- Advanced filter system
- DosageAssist detergent system
- AutoBrilliance - automatic detergent sensor
- AquaSensor™ technology
- Load Sensor
- HalfLoad Plus
- VarioSpeed™ - express wash option
- IntensiveZone wash option
- HygienePlus option
- Heat Exchanger
- 5 Spray levels

Flexibility
- Electronic rinse aid and refill indicator
- RackmaticPlus™ - 3 stage height-adjustable upper basket
- TallTUB™ - XXL Cabinet
- VarioFlexPlus™ baskets
- VarioDrawer third loading level
- Tall glass / champagne glass racks

Convenience
- Time delay start (1-24 hours)
- Time remain display
- SuperSilence operation - 42dB
- Large item spray head

Safety
- AquaStopPlus anti-flood protection
- Button child lock
- Child door lock

Power Rating
- 2400W
- 10 amp

Appliance Dimensions (HxWxD)
- 865-925 x 598 x 573mm

LIFESTYLE

SMU68M05AU
Stainless Steel Dishwasher Built-under

Capacity
- 15 international place settings

Consumption Rates
(Normal 45ºC program)
- 4.5 Star water rating
- 4 Star energy rating

Wash Programs
- 6 Wash Programs
  - Auto 45-65ºC
  - Pots and Pans 70ºC
  - Intensive 65ºC
  - Normal 45ºC
  - Quick 45ºC
  - Pre-rinse

Performance
- Advanced filter system
- DosageAssist detergent system
- AutoBrilliance - automatic detergent sensor
- AquaSensor™ technology
- Load Sensor
- HalfLoad Plus
- VarioSpeed™ - express wash option
- IntensiveZone wash option
- HygienePlus option
- Heat Exchanger
- 5 Spray levels

Flexibility
- Electronic rinse aid and refill indicator
- RackmaticPlus™ - 3 stage height-adjustable upper basket
- VarioFlex® baskets
- VarioDrawer third loading level
- Tall glass / champagne glass racks

Convenience
- Time delay start (1-24 hours)
- Time remain display
- SuperSilence operation - 42dB
- Large item spray head

Safety
- AquaStopPlus anti-flood protection
- Button child lock
- Child door lock

Power rating
- 2400W
- 10 amp

Appliance dimensions (HxWxD)
- 815-875 x 598 x 573mm

LIFESTYLE

All descriptions, images and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.

SMS68M02AU
White Dishwasher Freestanding

Capacity
- 15 international place settings

Consumption Rates
(Normal 45ºC program)
- 4.5 Star water rating
- 4 Star energy rating

Wash Programs
- 6 Wash Programs
  - Auto 45-65ºC
  - Pots and Pans 70ºC
  - Intensive 65ºC
  - Normal 45ºC
  - Quick 45ºC
  - Pre-rinse

Performance
- Advanced filter system
- DosageAssist detergent system
- AutoBrilliance - automatic detergent sensor
- AquaSensor™ technology
- Load Sensor
- HalfLoad Plus
- VarioSpeed™ - express wash option
- IntensiveZone wash option
- HygienePlus option
- Heat Exchanger
- 5 Spray levels

Flexibility
- Electronic rinse aid and refill indicator
- RackmaticPlus™ - 3 stage height-adjustable upper basket
- VarioFlex® baskets
- VarioDrawer third loading level
- Tall glass / champagne glass racks

Convenience
- Time delay start (1-24 hours)
- Time remain display
- SuperSilence operation - 42dB
- Large item spray head

Safety
- AquaStopPlus anti-flood protection
- Button child lock
- Child door lock

Power Rating
- 2400W
- 10 amp

Appliance Dimensions (HxWxD)
- 845 x 600 x 600mm

LIFESTYLE
★ ★ ★ ★ ★

SMS63M08AU
Stainless Steel Dishwasher Freestanding

Capacity
- 14 international place settings

Consumption Rates
(Normal 45ºC program)
- 4.5 Star water rating
- 4 Star energy rating

Design
- Anti-fingerprint stainless steel finish

Wash Programs
- 6 Wash Programs
  - Auto 45-65ºC
  - Pots and Pans 70ºC
  - Intensive 65ºC
  - Normal 45ºC
  - Quick 45ºC
  - Pre-rinse

Performance
- Advanced filter system
- DosageAssist detergent system
- AutoBrilliance - automatic detergent sensor
- AquaSensor™ technology
- Load Sensor
- HalfLoad Plus
- VarioSpeed™ - express wash option
- IntensiveZone wash option
- HygienePlus option
- Heat Exchanger
- 5 Spray levels

Flexibility
- Electronic rinse aid and refill indicator
- RackmaticPlus™ - 3 stage height-adjustable upper basket
- VarioFlex® baskets
- Tall glass / champagne glass racks

Convenience
- Time delay start (1-24 hours)
- Time remain display
- SuperSilence operation - 42dB
- Large item spray head

Safety
- AquaStopPlus anti-flood protection
- Button child lock
- Child door lock

Power Rating
- 2400W
- 10 amp

Appliance Dimensions (HxWxD)
- 845 x 600 x 600mm

LIFESTYLE
★ ★ ★ ★ ★

All descriptions, images and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.

SMU50E15AU
Stainless Steel Dishwasher Built-under

Capacity
- 14 international place settings

Consumption Rates
(Normal 45ºC program)
- 4.5 Star water rating
- 3.5 Star energy rating

Wash Programs
- 5 Wash Programs
  - Pots and Pans 70ºC
  - Intensive 65ºC
  - Normal 45ºC
  - Quick 45ºC
  - Pre-rinse

Performance
- Advanced filter system
- DosageAssist detergent system
- AutoBrilliance - automatic detergent sensor
- Load Sensor
- HalfLoad Plus
- Heat Exchanger
- 5 Spray levels

Flexibility
- Electronic rinse aid and refill indicator
- Height-adjustable upper basket
- Vario baskets
- Tall glass / champagne glass racks

Convenience
- Very quiet operation - 46dB

Safety
- AquaStopPlus anti-flood protection

Power Rating
- 2400W
- 10 amp

Appliance Dimensions (HxWxD)
- 815-875 x 598 x 573mm

Optional Accessories
- 612114 Large item spray head

CLASSIC

SMS50E12AU
White Dishwasher Freestanding

Capacity
- 14 international place settings

Consumption Rates
(Normal 45ºC program)
- 4.5 Star water rating
- 3.5 Star energy rating

Wash Programs
- 5 Wash Programs
  - Pots and Pans 70ºC
  - Intensive 65ºC
  - Normal 45ºC
  - Quick 45ºC
  - Pre-rinse

Performance
- Advanced filter system
- DosageAssist detergent system
- AutoBrilliance - automatic detergent sensor
- Load Sensor
- HalfLoad Plus
- Heat Exchanger
- 5 Spray levels

Flexibility
- Electronic rinse aid and refill indicator
- Height-adjustable upper basket
- Vario baskets
- Tall glass / champagne glass racks

Convenience
- Very quiet operation - 46dB

Safety
- AquaStopPlus anti-flood protection

Power Rating
- 2400W
- 10 amp

Appliance Dimensions (HxWxD)
- 845 x 600 x 600mm

Optional Accessories
- 612114 Large item spray head

CLASSIC

All descriptions, images and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.

SGU55E15AU
Stainless Steel Dishwasher Built-under

815 mm | 1/2 Half Load Plus | 50 dB | AquaStop

Capacity
- 14 international place settings

Consumption Rates
(Normal 45ºC program)
- 4 Star water rating
- 3 Star energy rating

Wash Programs
- 5 Wash Programs
  - Pots and Pans 70ºC
  - Intensive 65ºC
  - Normal 45ºC
  - Quick 45ºC
  - Pre-rinse

Performance
- 4 stage filtration system
- HalfLoad Plus
- Polinox cavity base
- 5 spray levels

Flexibility
- Electronic rinse aid and refill indicator
- Height-adjustable upper basket
- Normal baskets – 2 folding plate racks in lower basket

Convenience
- Time delay start (1-19 hours)
- Time remain display
- Quiet operation - 50dB

Safety
- AquaStop® anti-flood protection

Power Rating
- 2400W
- 10 amp

Appliance Dimensions (HxWxD)
- 815-875 x 598 x 573mm

Optional Accessories
- 167301 Large item spray head

CLASSIC

SGS55E12AU
White Dishwasher Freestanding

850 mm | 1/2 Half Load Plus | 50 dB | AquaStop

Capacity
- 14 international place settings

Consumption rates
(Normal 45ºC program)
- 4 Star water rating
- 3 Star energy rating

Wash Programs
- 5 Wash Programs
  - Pots and Pans 70ºC
  - Intensive 65ºC
  - Normal 45ºC
  - Quick 45ºC
  - Pre-rinse

Performance
- 4 stage filtration system
- HalfLoad Plus
- Polinox cavity base
- 5 spray levels

Flexibility
- Electronic rinse aid and refill indicator
- Height-adjustable upper basket
- Normal baskets – 2 folding plate racks in lower basket

Convenience
- Time delay start (1-19 hours)
- Time remain display
- Quiet operation - 50dB

Safety
- AquaStop® anti-flood protection

Power Rating
- 2400W
- 10 amp

Appliance Dimensions (HxWxD)
- 850 x 600 x 600mm

Optional Accessories
- 167301 Large item spray head

CLASSIC

All descriptions, images and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.

Compact Dishwashers.

ActiveWater Smart™: the dishwasher that fits into every kitchen

At a height of only 45 or 60cm, the new Bosch ActiveWater Smart™ dishwashers are designed to fit into practically every kitchen. Offering a loading capacity of six or eight place settings, they are the perfect solution for any high-quality designer kitchens.

Incorporating Bosch ActiveWater™ technology, these dishwashers use every single drop of water to maximum effect. And because your ActiveWater Smart™ modular dishwasher can be installed to the precise height for your comfort, we've eliminated the need to bend every time you effortlessly load and unload your dishwasher.

More Performance

Despite its most sparing use of resources, ActiveWater Smart™ dishwashers offer optimum cleaning and brilliant results. Top performance is also assured by numerous programs and special functions. And with the VarioSpeed™ option you can wash dishes in almost half the time and still achieve the same outstanding performance at the touch of a button.

Perfect Integration

ActiveWater Smart™ modular dishwashers fit perfectly into your fitted kitchen and offer lots of creative ideas for kitchen concepts. Thanks to their flexibility, dishwashers can now be planned in the kitchen in a variety of ways; be it in plinthless kitchens, kitchens with a deeply recessed or very high plinth line. And at 45 or 60cm high, they are the ideal built-in solution when integrated with other Bosch appliances.

SCE63M05AU
60cm Modular Built-in Dishwasher

600 mm | auto brilliance | AquaSensor | VarioSpeed | IntensiveZone | 45 dB | AquaStopPlus | ChildLock

Capacity
- 8 international place settings

Consumption Rates
(Normal 45ºC program)
- 3 Star water rating, 10.1 litres per wash
- 3 Star energy rating, 180 kWh per year

Wash Programs
- 6 Wash Programs:
  - Auto 45-65ºC
  - Pots and Pans 70ºC
  - Intensive 65ºC
  - Normal 45ºC
  - Quick 45ºC
  - Pre-rinse

Performance
- Advanced filter system
- AutoBrilliance - automatic detergent sensor
- IntensiveZone wash option
- VarioSpeed™ - express wash option
- HygienePlus option
- AquaSensor™ technology
- Heat Exchanger

Flexibility
- Electronic rinse aid and refill indicator
- 4 Foldable racks

Convenience
- Time delay start (1-24 hours)
- Quiet operation - 45dB

Safety
- AquaStopPlus anti-flood protection
- Button child lock

Power Rating
- 2400W
- 10 amp

Appliance Dimensions (HxWxD)
- 595x595x500mm

LIFESTYLE ★ ★ ★ ★ ★

SKE53M05AU
45cm Modular Built-in Dishwasher

450 mm | auto brilliance | AquaSensor | VarioSpeed | IntensiveZone | 49 dB | AquaStopPlus | ChildLock

Capacity
- 6 international place settings

Consumption Rates
(Normal 45ºC program)
- 3.5 Star water rating, 7.2 litres per wash
- 3 Star energy rating, 135 kWh per year

Wash Programs
- 5 Wash Programs:
  - Auto 45-65ºC
  - Pots and Pans 70ºC
  - Normal 45ºC
  - Quick 45ºC
  - Pre-rinse

Performance
- Advanced filter system
- AutoBrilliance - automatic detergent sensor
- IntensiveZone wash option
- VarioSpeed™ - express wash option
- AquaSensor™ technology
- Heat Exchanger

Flexibility
- Electronic rinse aid and refill indicator
- 4 Foldable racks

Convenience
- Time delay start (1-24 hours)
- Quiet operation - 49dB

Safety
- AquaStopPlus anti-flood protection
- Button child lock

Power Rating
- 2400W
- 10 amp

Appliance Dimensions (HxWxD)
- 454x595x500mm

LIFESTYLE ★ ★ ★ ★ ★

All descriptions, images and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.

Quick reference guide.

Product overview		Premium		Lifestyle		
Features		**SBV69T00AU** Stainless Steel Fully Integrated	**SBU69T05AU** Stainless Steel Built-under	**SBI69M15AU** Stainless Steel Semi-intergrated	**SMU68M05AU** Stainless Steel Built-under	**SMS68M02AU** White Freestanding
Capacity	6 international place settings					
	8 international place settings					
	14 international place settings					
	15 international place settings	●	●	●	●	●
Consumption rates	4.5 Star water rating	●	●	●	●	●
(Normal 45ºC program)	4 Star energy rating	●	●	●	●	●
	4 Star water rating					
	3.5 Star energy rating					
	3.5 Star water rating					
	3 Star energy rating					
	3 Star water rating					
Design	Anti-fingerprint s/steel finish					
	SensorTouch buttons	●	●			
Wash Programs	5 Wash Programs					
	6 Wash Programs	●	●	●	●	●
	Auto 65-75ºC	●	●			
	Auto 45-65ºC	●	●	●	●	●
	Auto 35-45ºC	●	●			
	Pots and Pans 70ºC			●	●	●
	Intensive 65ºC			●	●	●
	Normal 45ºC	●	●	●	●	●
	Quick 45ºC	●	●	●	●	●
	Pre-rinse	●	●	●	●	●
Performance	Advanced filter system	●	●	●	●	●
	DosageAssist detergent system	●	●	●	●	●
	AutoBrilliance detergent sensor	●	●	●	●	●
	AquaSensor technology	●	●	●	●	●
	Load Sensor	●	●	●	●	●
	HalfLoad Plus	●	●	●	●	●
	VarioSpeed™	●	●	●	●	●
	IntensiveZone wash option	●	●	●	●	●
	HygienePlus option	●	●	●	●	●
	Heat Exchanger	●	●	●	●	●
	5 Spray levels	●	●	●	●	●
	Polinox base					
	4-stage filtration symbol					
Flexibility	Electronic rinse aid/refill indicator	●	●	●	●	●
	Height-adjustable upper basket					
	RackmaticPlus™	●	●	●	●	●
	Rackmatic®					
	TallTUB™ XXL Cabinet	●	●	●		
	Normal baskets					
	Vario baskets					
	VarioFlex® baskets			●	●	●
	VarioFlexPlus™ baskets	●	●			
	VarioDrawer third loading level	●	●	●	●	●
	Tall glass/champagne glass racks	●	●	●	●	●
	Foldable plate racks in lower basket					
Convenience	Time delay start	1-24 hours	1-24 hours	1-24 hours	1-24 hours	1-24 hours
	Time remain display	●	●	●	●	●
	Audible program end signal	●	●			
	InfoLight® status indicator	●				
	Quiet operation					
	Very quiet operation					
	Whisper quiet operation					
	SuperSilence operation	42dB	42dB	42dB	42dB	42dB
	Large item spray head	●	●	●	●	●
Safety	AquaStopPlus®	●	●	●	●	●
	AquaStop					
	Button child lock			●	●	●
	Child door lock	●	●	●	●	●
Power rating	2400W	●	●	●	●	●
	10 amp	●	●	●	●	●

All descriptions, images and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.

				Classic			
	SMS63M08AU Stainless Steel Freestanding	**SMU50E15AU** Stainless Steel Built-under	**SMS50E12AU** White Freestanding	**SGU55E15AU** Stainless Steel Built-under	**SGS55E12AU** White Freestanding	**SCE63M05AU** Stainless Steel Built-In	**SKE53M05AU** Stainless Steel Built-In
							●
						●	
	●	●	●	●	●		
	●	●	●				
	●						
				●	●		
		●	●				
							●
				●	●	●	●
						●	
	●						
		●	●	●	●		●
	●					●	
	●					●	●
	●	●	●	●	●	●	●
	●	●	●	●	●	●	
	●	●	●	●	●	●	●
	●	●	●	●	●	●	●
	●	●	●	●	●	●	●
	●	●	●			●	●
	●	●	●				
	●	●	●			●	●
	●					●	●
	●	●	●				
	●	●	●			●	●
	●					●	●
	●					●	
	●	●	●			●	
	●	●	●	●	●		
				●	●	●	●
				●	●		
	●			●	●	●	●
				●	●		
	●						
				●	●		
		●	●			●	●
	●						
	●	●	●				
				●	●	●	●
	1-24 hours			1-19 hours	1-19 hours	1-24 hours	1-24 hours
	●			●	●		
							49dB
		46dB	46dB			45dB	
	42dB						
	●						
	●	●	●			●	●
				●	●		
	●					●	●
	●						
	●	●	●	●	●	●	●
	●	●	●	●	●	●	●

All descriptions, images and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.

Installation Diagrams.

SBV Dishwashers



*Because of height-adjustable screw feet:
When appliance height is 865, base height is 90-160mm
When appliance height is 925, base height is 150-220mm

Measurements are in millimetres

SBU Dishwashers



*Because of height-adjustable screw feet:
When appliance height is 865, base height is 90mm
When appliance height is 925, base height is 150mm

Measurements are in millimetres

SBI Dishwashers



**Stainless steel panel up to max.143mm
* Because of height-adjustable screw feet:
When appliance height is 865, base height is 90-160mm
When appliance height is 925, base height is 150-220mm

Measurements are in millimetres

SMU Dishwashers



*Because of height-adjustable screw feet:
When appliance height is 815, base height is 90mm
When appliance height is 875, base height is 150mm

Measurements are in millimetres

SMS Dishwashers



Measurements are in millimetres

SGU Dishwashers



*Adjustable using height-adjustable feet.
Plinth height 90-160mm when appliance height 810mm.
Plinth height 150-220mm when appliance height 870mm.

Measurements are in millimetres

SGS Dishwashers



Measurements are in millimetres

45cm Modular Built-in Dishwasher



SKE53M05AU

Measurements are in millimetres

60cm Modular Built-in Dishwasher



SCE63M05AU

Measurements are in millimetres

All descriptions, images and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.

Quality Service.

Important notes

Model numbers and specifications are for reference only and subject to change without prior notice.

For additional information on products, please refer to your local Bosch retailer. Bosch is continuously seeking to improve specification, design and production of its appliances and alterations may take place regularly.

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.

The electrical and water connection should only be made in accordance with the regulations of the national authorities.

For model and accessory availability, please contact BSH Home Appliances Limited.

Quality service for quality appliances

Quality of our after-sales service is just as important as the quality of our products. In the unlikely event that service is required on your appliance, our extensive network of authorised service agents throughout New Zealand will ensure you are provided with the full support to ensure your appliance is operating at optimal condition.

Warranty

2 years warranty

All Bosch products are covered under a 2-year comprehensive parts and labour warranty.

Bosch recommends

finish

In 2011, the Bosch Group is celebrating a double anniversary: the 125th anniversary of the company's establishment, and the company's founder's 150th birthday.

As we celebrate our double anniversary, it is especially important to stress that history can only be as good as the way it is perceived and carried forward. That is why Bosch sees itself as a company that takes strength from its past in order to meet the challenges of its future.

BSH Home Appliances Ltd

Unit F2, 4 Orbit Drive
Mairangi Bay
Auckland 0632

PO Box 33-1033
Takapuna
Auckland 0740

Phone: (09) 477 0492
Fax: (09) 477 2647

Customer Service
Phone: 0800 807 723
Fax: 0800 256 535
Email: bshnz-cs@bshg.com

www.bosch-home.co.nz

Printed in New Zealand

Whilst every care has been taken in the preparation of this publication, BSH does not warrant the accuracy or completeness of the information in this publication and BSH reserves the right to alter specifications without notice. To the extent permitted by law, BSH excludes all liability, including negligence, for any loss incurred in reliance on the contents of this publication.

2COMM11801